

## 25-Person Professional Simultaneous Interpretation System for 3 Languages with Full Relay Capabilities | TSP12-25

The Enersound TSP12-25 Professional System is designed to work when multiple target languages and full relay capabilities are needed. This 25-person Professional Wireless Simultaneous Translation System provides superior sound quality and excellent coverage range, combining multichannel transmitters and receivers, as well as 12-channel interpreter consoles with full relay capabilities. It can be expanded by adding an unlimited number of additional receivers with headphones. More foreign languages can be added for a maximum of 6 in the same room by purchasing 1 extra transmitter, console and set of headsets per additional target language. This system is ideal for multilingual conferences, meetings, court proceedings, and more.

**Note: This system requires a human language interpreter, it does not translate automatically.**



**T-500 Multichannel Base Transmitter**



**CU-12 Control Unit**



**IC-12 Interpreter Console**



**Plantronics Headset**



**R-120 Multichannel FM Receiver**

**System Includes:**


- (25) R-120 Multichannel FM Receivers
- (25) EAR-120 Dual Headphones for audience
- (3) T-500 Multichannel Base Transmitter
- (3) ANT-500 Helical Antenna
- (3) PS-500 Power Supply
- (4) Plantronics Headset
- (2) IC-12 Interpreter Console
- (1) CU-12 Control Unit
- (2) CBL25-6 25-pin 6m cable for IC-12

**FREE SHIPPING  
ON ORDERS  
OVER \$ 200**

**MSRP: \$ 10,099.18**  
**NOW**  
**\$5,749.00**



**EAR-120 Dual Headphones**



**CBL25-6 25-pin 6m cable**

**Optional**

**CAS-25 Carrying Case**  
**\$279.00 MSRP: \$ 329.00)**



**Additional info...**

This system is equipped with IC-12 Interpreter Consoles, 12-channel dual interpreter console with full relay capabilities. Each console allows two interpreters to work together. Interpreters can choose either floor channel to listen to the speaker and perform direct interpretation or choose the relay mode (when the interpreter does not understand the floor language) and listen to the interpretation from a different booth in a language that this interpreter can understand. Unlike other interpreter consoles in the market, this relay mode is a true channel selectable relay function with audio level buster that allows the interpreter to select any of the 11 languages as their source language for the relay interpretation.

**Features**

- Advance relay features for language interpretation
- Two-way interpretation
- Up to 1,000 ft coverage area (aprox. 3 football fields)
- Multichannel transmitter and receivers
- 72-76 MHz frequency band
- Superior sound quality

**T-500 Transmitters:**

- Supports an unlimited number of receivers. Easy set-up and operation
- Multiple inputs for any audio signal. 100% digitally tuned
- Portable and lightweight
- Robust engineering for maximum reliability and durability
- Tabletop use or rack mountable with optional rack mount kit

**R-120 Receivers:**

- Channel lock feature
- LCD display
- Included carrying options; Belt clip, neck strap and, velcro arm-band
- Direct access to channel selectors
- Dual Headphones included

**IC-12 Interpreter Console**

- 12 channels (for 11 target languages + main language)
- Simple plug and play operation
- Easy daisy chain connection
- Powered by the CU-12 Control Unit through one interconnection cable
- Automatic floor feed sent to unoccupied channels
- True full relay function for professional multi-language simultaneous interpretation
- (2) XLR microphone inputs
- (2) 3.5mm microphone jacks and (2) 3.5mm stereo headphone jacks for combined headset/ mics
- Speak slowly signal and 'Mute' function

**Warranty:**

Lifetime warranty on receiver and transmitter's motherboards. One year warranty on consoles and control unit. See manufacturer website for more details.

Audience



Delegate Wireless Receivers



FLOOR INPUT



CU-12 CONTROL UNIT

UP TO 11 IC-12 INTERPRETER CONSOLES



\*THIS IS A SAMPLE SCENARIO. LANGUAGES AND COMBINATIONS MAY CHANGE